

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	4	(limit\$4) with connection same (p2p or "peer to peer") and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 15:34
L5	17966627	(limit\$4) with number with connection sand @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 15:34
L6	4351	(limit\$4) with number with connection and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 15:34
L7	384	(limit\$4) near2 number near2 connection and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 15:34
L8	38	((limit\$4) near2 number near2 connection).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 15:37
L9	47	((limit\$4 or max\$4 or min\$4) near2 number near2 connection).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 15:38
L10	114	((limit\$4 or max\$4 or min\$4) near2 number near2 connection).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 15:38

EAST Search History

L11	76	l10 not l8	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 15:38
S1	12428	(709/218,219,224,235).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:17
S2	8	((("20020184310") or ("20030055892") or ("20020119821") or ("20010044339")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:23
S3	2	("6829634").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:24
S4	79	("peer to peer" or P2P) same redundan\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:27
S5	5	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:25
S6	47	("peer to peer" or P2P) same redundan\$4 and (send\$4 or transmit\$4 or reciec\$4) same (identical or similar) same (message or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:25

EAST Search History

S7	1	redunc\$4 same message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:34
S8	24687	(Internet or online) same gam\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:43
S9	38	(Internet or online) same gam\$4 same ("peer to peer" or P2P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:46
S10	14	(Internet or online) same gam\$4 same ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:24
S11	43	("peer to peer" or P2P) same redundan\$4 and (send\$4 or transmit\$4 or reciec\$4) same (identical or similar) same (message or information) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S12	1326	(compar\$4) same (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:44
S13	20	(compar\$4) with (many or multiple or several) with (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:47

EAST Search History

S14	20	S13 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:45
S15	707	(compar\$4) with (message or "data packet" or packet) same redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:47
S16	407	((compar\$4) with (message or "data packet" or packet)).ab.ti. and redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:48
S17	313	(compar\$4) with (message or "data packet" or packet) with redund\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:48
S18	5	(compar\$4) with (message or "data packet" or packet) with redund\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 08:09
S19	8	(compar\$4) with (message or "data packet" or packet) same redund\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:50
S20	3	S19 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:50

EAST Search History

S21	9	("4872003" "5548819" "5610905" "5966431" "6304569" "6473425" "6493343" "6507562").PN. OR ("6891801").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/10 08:55
S22	2	("7194654").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 08:58
S23	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:07
S24	306	(broad\$cast\$4) with (message or data) with redunda\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:09
S25	78	((broad\$cast\$4) with (message or data) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S26	78	S25 not S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:09
S27	0	S25 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10

EAST Search History

S28	12853	(709/218,219,224,235).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10
S29	0	S25 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:10
S30	2	((broad\$cast\$4) with (message or data) with redunda\$4).ab,ti. and (peer\$4to\$4peer or "P2P") and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:12
S31	14	((broad\$cast\$4) with (message or data) with redunda\$4) and (peer\$4to\$4peer or "P2P") and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:06
S32	12	S31 not S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:12
S33	6	("peer to peer" or P2P) same (compar\$4) with (message or packet or data) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:26
S34	153734	(compar\$4) near2 (message or packet or data) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27

EAST Search History

S35	52171	(compar\$4) near2 (message or packet or data).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S36	93510	(compar\$4 or determin\$4) near2 (message or packet or data).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:27
S37	54777	(compar\$4 or determin\$4) adj2 (message or packet or data).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S38	4	(compar\$4 or determin\$4) adj2 (message or packet or data).ab,ti. and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:28
S39	1	(compar\$4) adj2 (message or packet or data).ab,ti. and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:39
S40	43	(compar\$4) adj2 (message or packet or data) and ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:29
S41	43	S40 not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:29

EAST Search History

S42	4121	redunda\$4 with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S43	1	redunda\$4 with message same ("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:34
S44	12	redunda\$4 with message and("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:45
S45	13	(redunda\$4 or un\$want\$4 or repetiti44) with message and("peer to peer" or P2P) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:40
S46	1	S45 not S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/10 09:40
S47	15	(peer\$to\$peer or P2P) same (compar\$4) with (ID) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 08:09
S48	21	(peer\$to\$peer or P2P) same (compar\$4) with (ID or identification) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:32

EAST Search History

S49	33	(peer\$to\$peer or P2P) same (relay\$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:37
S50	8028	(compar\$4) adj (ID or identification or identity or IP) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:40
S51	7494	(compar\$4) adj (ID or identification or identity) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:40
S52	34	(compar\$4) adj (ID or identification or identity) adj2 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:41
S53	33	S52 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:41
S54	4122	redunda\$4 with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/14 10:45
S55	579508	redunda\$4 ajd3 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:45

EAST Search History

S56	1288	redunda\$4 adj3 message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:35
S57	55	redunda\$4 adj3 message with compar\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S58	91	S57 no9t S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S59	54	S57 not S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/14 10:46
S60	1735	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:36
S61	3	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same (P2P or peer\$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:39
S62	101	(redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and (P2P or peer\$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:39

EAST Search History

S63	0	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message).ab,ti. and (P2P or peer\$4peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S64	115	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:05
S65	46	((redunda\$4 or duplicate or "same") adj (ID or identification) same message).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 04:38
S66	46	S65 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S67	13	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same compar\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 07:51
S68	151	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:05
S69	82	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06

EAST Search History

S70	10	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S71	0	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message same (updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:06
S72	49	((redunda\$4 or duplicate or "same") adj3 (ID or identification) same message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:10
S73	1938	(message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:10
S74	675	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:11
S75	2	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:11
S76	86	((redunda\$4 or duplicate or "same") with message and(updat\$4) with (send\$4 or transmit\$4) with list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:12

EAST Search History

S77	0	((redunda\$4 or duplicate or "same") with message with (send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:51
S78	38	((redunda\$4 or duplicate or "same") with message and (send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:15
S79	69	((send\$4 or transmit\$4) with (updat\$4) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:19
S80	31	S79 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:16
S81	1	((send\$4 or transmit\$4) with (updat\$4) with (connection) adj2 list) and (p2P or peer\$5peer) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:20
S82	9	((send\$4 or transmit\$4) with (updat\$4) with (connection) adj2 list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S83	97	((send\$4 or transmit\$4) with (updat\$4) with (connection) with list) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:25

EAST Search History

S84	88	S83 not S82	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S85	88	S84 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:21
S86	27	updat\$4 with (p2p or peer\$5peer or peer) with list same message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:27
S87	5	updat\$4 with (p2p or peer\$5peer or peer) adj3 message with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/15 08:27
S88	22874	(multiple or many) with "same" with connection and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:52
S89	23	(multiple or many) with "same" with connection with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:53
S90	2	(multiple or many) with "same" with connection with updat\$4 with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 13:52

EAST Search History

S91	0	("peer to peer" or P2P) same (message or identification) with (redundan\$4 or duplicate) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:43
S92	0	("peer to peer" or P2P) same (message or identification) same (redundan\$4 or duplicate) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:43
S93	0	("peer to peer" or P2P) same (reduc\$4) with (duplicat\$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:44
S94	1	("peer to peer" or P2P) and (reduc\$4) with (duplicat\$4) with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:49
S95	668	(reduc\$4) with (duplicat\$4 or "same") with message and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:40
S96	1	(reduc\$4) with (duplicat\$4 or "same") with message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50
S97	193	(duplicat\$4 or "same") with message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50

EAST Search History

S98	61	(duplicat\$4 or "same") near2 message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:51
S99	2	broadcast\$4 same (duplicat\$4 or "same") near2 message near2 list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 04:50
S10 0	313	((broad\$cast\$4) with (message or data) with redunda\$4) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:06
S10 1	79	((broad\$cast\$4) with (message or data) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:07
S10 2	19	((broad\$cast\$4) with (message) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S10 3	546	((message) with redunda\$4).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10
S10 4	6	((message) with redunda\$4 with list).ab,ti. and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:10

EAST Search History

S10 5	32	((message) with redunda\$4 with list)and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:10
S10 6	26	S105 not S104	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 05:11
S10 7	18	((message) with redunda\$4 with list)and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 06:10
S10 8	39	(reduc\$4) with (duplicat\$4 or "same") with message and ("p2p" or (peer adj2 peer)) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:01
S10 9	12	(reduc\$4) with (duplicat\$4 or "same") with message with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:56
S11 0	2	("6899628").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 08:56
S11 1	24	(reduc\$4) with (duplicat\$4 or "same") with message and ("p2p" or (peer adj2 peer)) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04

EAST Search History

S11 2	992	("p2p" or (peer adj2 peer)) with messag\$4 and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S11 3	1592	("p2p" or (peer adj2 peer)) with messag\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S11 4	732	("p2p" or (peer adj2 peer)) near2 messag\$4 and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:04
S11 5	4	("p2p" or (peer adj2 peer)) near2 messag\$4 same (send\$4 or transmit\$4) with (message) with list and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:11
S11 6	7	("p2p" or (peer adj2 peer)) near2 messag\$4 same (duplicate or "same" or identical or exact) same (list or table) and @ad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:15
S11 7	6	("p2p" or (peer adj2 peer)) near2 messag\$4 same (duplicate or "same" or identical or exact) same (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:17
S11 8	188	("p2p" or (peer adj2 peer)) and (connect\$4) with message with (list or table) and @rlad<="20031020"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/10 09:17